## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or t	rade mark: Nedis
----------------------	------------------

Supplier's address: Nedis B.V., De Tweeling 28, 5215 MC 's-Hertogenbosch Noord-Brabant, NL

Model identifier: CLLS720

Type	of I	ight	sour	ce:
IVDC	<b>U</b> I I	ISIIL	JUUI	···

Lighting technology used:	LED	Non-directional or	NDLS	
		directional:		
Light source cap-type	other elec-			
(or other electric interface)	tric interface			
Mains or non-mains:	NMLS	Connected light	No	
		source (CLS):		
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	No	
Product parameters				

Product parameters				
Parameter		Value	Parameter	Value
General product parameters:				
0,	nption in on- 00 h), rounded st integer	4	Energy efficiency class	D
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º)	560 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 500
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	3,6	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
(P <sub>net</sub> ) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	83
Outer dimen-	Height	5	Spectral power dis-	See image
sions without	Width	30	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	57 000	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,485	
		nates (x and y)	0,427	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	0	Survival factor	0,90	
the lumen maintenance factor	0,90			

(a)'-': not applicable; (b)'-': not applicable;

