Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: Nedis B.V., De Tweeling 28, 5215 MC 's-Hertogenbosch Noord-Brabant, NL

Model identifier: LTLG3M1WT2

Type (of lig	ht so	urce:
.,,			

Lighting technology used:	LED	Non-directional or	DLS
Lighting technology used.	LED		DLS
		directional:	
Light source cap-type	other elec-		
(or other electric interface)	tric interface		
Mains or non-mains:	NMLS	Connected light	No
		source (CLS):	
Colour-tuneable light source:	Yes	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes
	Product para	ameters	
Parameter	Value	Parameter	Value
_	General product	narameters:	

		1 Todact parai				
Parameter		Value	Parameter	Value		
General product parameters:						
<u> </u>	nption in on- 00 h), rounded st integer	5	Energy efficiency class	G		
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º)	280 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000 or 4 000 or 5 000		
On-mode pow pressed in W	ver (P _{on}), ex-	4,5	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,01		
(P _{net}) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	96		
Outer dimen-	Height	370	Spectral power dis-	See image		
sions without	Width	170	tribution in the	in last page		
separate con- trol gear, light- ing control	Depth	170	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity coordinates (x and y)	0,380 0,380		
Parameters for directional light sources:					
Peak luminous intensity (cd)	135	Beam angle in degrees, or the range of beam angles that can be set	106		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	75	Survival factor	1,00		
the lumen maintenance factor	0,97				

(a)'-': not applicable; (b)'-': not applicable;