Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: Nedis B.V., De Tweeling 28, 5215 MC 's-Hertogenbosch Noord-Brabant, NL

Model identifier: WIFILX01W200

_	•			
Tyna	Ot.	lioht	sour	CD.
IVDC	O.	IIGIIL	30ui	LC.

Anti-glare shield:	No	Dimmable:	Yes
High luminance light source:	No		
Colour-tuneable light source:	No	Envelope:	-
Mains or non-mains:	NMLS	Connected light source (CLS):	Yes
(or other electric interface)	,		
Light source cap-type	N/A		
Lighting technology used:	LED	Non-directional or directional:	NDLS

Product parameters

Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
_ ·	nption in on- 00 h), rounded st integer	2	Energy efficiency class	G	
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		145 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 500	
On-mode power (P _{on}), expressed in W		2,3	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,50	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		0,50	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	69	
Outer dimen-	Height	30	Spectral power dis-	See image	
sions without	Width	5	tribution in the	in last page	
separate con- trol gear, light- ing control	Depth	20 000	range 250 nm to 800 nm, at full-load		

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,485	
		nates (x and y)	0,430	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	-14	Survival factor	0,90	
the lumen maintenance factor	0,90			

(a)'-': not applicable; (b)'-': not applicable;

